

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

<b>Trade name or designation of the mixture</b>	GLORIA VANDERBILT EAU DE TOILETTE
<b>Synonyms</b>	None.
<b>SDS number</b>	30-41-0000626
<b>Product code</b>	738261 01
<b>Issue date</b>	07-01-2020
<b>Version number</b>	01

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Identified uses</b>	Personal care product used for cosmetic effect.
<b>Uses advised against</b>	None known.

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

<b>Company name</b>	Usine d'Aulnay - Soproral
<b>Address</b>	137 rue Jacques Duclos 93600 AULNAY-SOUS-BOIS France
<b>Telephone</b>	+1 732 499-2745
<b>e-mail</b>	nacorpeuropesdsrequest@loreal.com

**1.4. Emergency telephone number** +33 1 48 79 50 20

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

##### Physical hazards

Flammable liquids	Category 2	H225 - Highly flammable liquid and vapor.
-------------------	------------	-------------------------------------------

##### Health hazards

Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.
Skin sensitization	Category 1B	H317 - May cause an allergic skin reaction.

##### Environmental hazards

Hazardous to the aquatic environment, long-term aquatic hazard	Category 3	H412 - Harmful to aquatic life with long lasting effects.
----------------------------------------------------------------	------------	-----------------------------------------------------------

#### Hazard summary

May be ignited by heat, sparks or flames. Causes serious eye irritation. May cause an allergic skin reaction. Dangerous for the environment if discharged into watercourses. Occupational exposure to the substance or mixture may cause adverse health effects. This is a consumer care product that is safe for consumers when used according to the label directions. Like many consumer products, a small number of individuals may experience reactions such as redness, rash and / or swelling upon prolonged or repeated skin contact or eye contact.

### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

**Contains:** ALPHA-ISOMETHYL IONONE, BENZYL SALICYLATE, D-LIMONENE, ETHANOL, LINALOOL, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES

#### Hazard pictograms



#### Signal word

Danger

## Hazard statements

H225	Highly flammable liquid and vapor.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

## Precautionary statements

### Prevention

P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P264	Wash thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

### Response

P101	If medical advice is needed, have product container or label at hand.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P370 + P378	In case of fire: Use appropriate media to extinguish.

### Storage

P403 + P235	Store in a well-ventilated place. Keep cool.
-------------	----------------------------------------------

### Disposal

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
------	-----------------------------------------------------------------------------------------------------

**Supplemental label information** 4,89% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 4,89% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

**2.3. Other hazards** Not a PBT or vPvB substance or mixture.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
ETHANOL	71,69	64-17-5 200-578-6	01-2119457610-43	603-002-00-5	
<b>Classification:</b>	Flam. Liq. 2;H225, Eye Irrit. 2;H319				
ALPHA-ISOMETHYL IONONE	1,09	127-51-5 204-846-3	01-2120138569-45	-	
<b>Classification:</b>	Skin Irrit. 2;H315, Skin Sens. 1B;H317, Eye Irrit. 2;H319, Aquatic Chronic 2;H411				
D-LIMONENE	0,68	5989-27-5 227-813-5	01-2119529223-47	601-029-00-7	
<b>Classification:</b>	Flam. Liq. 3;H226, Skin Irrit. 2;H315, Skin Sens. 1;H317, Aquatic Acute 1;H400, Aquatic Chronic 1;H410				
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES	0,61	- 915-730-3	01-2119489989-04	-	
<b>Classification:</b>	Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic Chronic 2;H411				
LINALOOL	0,28	78-70-6 201-134-4	01-2119474016-42	603-235-00-2	
<b>Classification:</b>	Skin Irrit. 2;H315, Skin Sens. 1B;H317, Eye Irrit. 2;H319, Acute Tox. 3;H331				
BENZYL SALICYLATE	0,23	118-58-1 204-262-9	01-2119969442-31	-	
<b>Classification:</b>	Skin Sens. 1B;H317, Eye Irrit. 2;H319, Aquatic Chronic 3;H412				

## List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments** The full text for all H-statements is displayed in section 16.

## SECTION 4: First aid measures

**General information** Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.  
Wash contaminated clothing before reuse.

### 4.1. Description of first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

**4.2. Most important symptoms and effects, both acute and delayed** Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. May cause an allergic skin reaction. Dermatitis. Rash.

**4.3. Indication of any immediate medical attention and special treatment needed** Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

## SECTION 5: Firefighting measures

**General fire hazards** Highly flammable liquid and vapor.

### 5.1. Extinguishing media

**Suitable extinguishing media** Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

**5.2. Special hazards arising from the substance or mixture** Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

### 5.3. Advice for firefighters

**Special protective equipment for firefighters** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**Special fire fighting procedures** In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**For emergency responders** Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use personal protection recommended in Section 8 of the SDS.

**6.2. Environmental precautions** Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

### 6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep out of the reach of children. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

### 7.3. Specific end use(s)

Not available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### Belgium. Exposure Limit Values.

Components	Type	Value
ETHANOL (CAS 64-17-5)	TWA	1907 mg/m <sup>3</sup> 1000 ppm

##### France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984

Components	Type	Value
ETHANOL (CAS 64-17-5)	VLE	9500 mg/m <sup>3</sup>
<b>Regulatory status:</b> Indicative limit (VL)		5000 ppm
<b>Regulatory status:</b> Indicative limit (VL)	VME	1900 mg/m <sup>3</sup>
<b>Regulatory status:</b> Indicative limit (VL)		1000 ppm
<b>Regulatory status:</b> Indicative limit (VL)		

##### Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Components	Type	Value
D-LIMONENE (CAS 5989-27-5)	TWA	28 mg/m <sup>3</sup> 5 ppm
ETHANOL (CAS 64-17-5)	TWA	380 mg/m <sup>3</sup> 200 ppm

##### Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace

Components	Type	Value
D-LIMONENE (CAS 5989-27-5)	AGW	28 mg/m <sup>3</sup> 5 ppm
ETHANOL (CAS 64-17-5)	AGW	380 mg/m <sup>3</sup>

**Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace**

Components	Type	Value
		200 ppm

**Italy. Occupational Exposure Limits**

Components	Type	Value
ETHANOL (CAS 64-17-5)	STEL	1000 ppm

**Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817**

Components	Type	Value
ETHANOL (CAS 64-17-5)	TWA	1900 mg/m3

**Spain. Occupational Exposure Limits**

Components	Type	Value
D-LIMONENE (CAS 5989-27-5)	TWA	168 mg/m3
		30 ppm
ETHANOL (CAS 64-17-5)	STEL	1910 mg/m3
		1000 ppm

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring procedures** Follow standard monitoring procedures.

**Derived no effect levels (DNELs)** Not available.

**Predicted no effect concentrations (PNECs)** Not available.

**8.2. Exposure controls**

**Appropriate engineering controls** Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

**Individual protection measures, such as personal protective equipment**

**General information** Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection** Applicable for industrial settings only. Face shield is recommended. Wear safety glasses with side shields (or goggles).

**Skin protection**

**- Hand protection** Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

**- Other** Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection**

Applicable for industrial settings only. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

**Thermal hazards**

Wear appropriate thermal protective clothing, when necessary.

**Hygiene measures**

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

**Environmental exposure controls**

Inform appropriate managerial or supervisory personnel of all environmental releases.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties****Appearance**

<b>Physical state</b>	Liquid.
<b>Color</b>	Orange.

<b>Odor</b>	Characteristic.
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	> 95 °F (> 35 °C)
<b>Flash point</b>	62,6 °F (17,0 °C) Closed Cup
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Explosive properties</b>	Not explosive.
<b>Oxidizing properties</b>	Not oxidizing.
<b>9.2. Other information</b>	
<b>Density</b>	0,858 - 0,866 g/cm <sup>3</sup>

## SECTION 10: Stability and reactivity

<b>10.1. Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>10.2. Chemical stability</b>	Material is stable under normal conditions.
<b>10.3. Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>10.4. Conditions to avoid</b>	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
<b>10.5. Incompatible materials</b>	Strong oxidizing agents.
<b>10.6. Hazardous decomposition products</b>	No hazardous decomposition products are known.

## SECTION 11: Toxicological information

<b>General information</b>	Occupational exposure to the substance or mixture may cause adverse effects.
<b>Information on likely routes of exposure</b>	
<b>Inhalation</b>	Prolonged inhalation may be harmful.
<b>Skin contact</b>	May cause an allergic skin reaction.
<b>Eye contact</b>	Causes serious eye irritation.
<b>Ingestion</b>	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.
<b>Symptoms</b>	Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. May cause an allergic skin reaction. Dermatitis. Rash.
<b>11.1. Information on toxicological effects</b>	
<b>Acute toxicity</b>	Not known.

Product	Species	Test Results
GLORIA VANDERBILT EAU DE TOILETTE		
<b>Acute</b>		
<b>Inhalation</b>		
Vapor		
ATEmix		
		1079 mg/l
Components	Species	Test Results
ALPHA-ISOMETHYL IONONE (CAS 127-51-5)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	> 5000 mg/kg
<b>Oral</b>		
LD50	Rat	> 5000 mg/kg
BENZYL SALICYLATE (CAS 118-58-1)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	14150 mg/kg bw
<b>Oral</b>		
LD50	Rat	2227 mg/kg bw
D-LIMONENE (CAS 5989-27-5)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	> 5000 mg/kg OECD 402
<b>Oral</b>		
LD50	Rat	4400 mg/kg
ETHANOL (CAS 64-17-5)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	> 20000 mg/kg
<b>Inhalation</b>		
Vapor		
LC50	Rat	124,7 mg/l, 4 h OECD 403
<b>Oral</b>		
LD50	Rat	10470 mg/kg OECD 401
LINALOOL (CAS 78-70-6)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	5610 mg/kg bw OECD 402
<b>Inhalation</b>		
Vapor		
LC50	Mouse	> 3,2 mg/l, 3 h
<b>Oral</b>		
LD50	Rat	2790 mg/kg OECD 401
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rat	> 5000 mg/kg OECD 402
<b>Oral</b>		
LD50	Rat	> 5000 mg/kg OECD 401
<b>Skin corrosion/irritation</b>	Due to partial or complete lack of data the classification is not possible. No adverse effects due to skin contact are expected.	
<b>Irritation Corrosion - Skin</b>		
BENZYL SALICYLATE	OECD 404	
	Result: Not Irritating	
	Species: Rabbit	

**Irritation Corrosion - Skin**

ETHANOL	OECD 404 Result: Not Irritating Species: Rabbit
D-LIMONENE	OECD 404 Result: Slightly Irritating Species: Rabbit
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES	OECD 439 Result: Irritating Species: In vitro
ALPHA-ISOMETHYL IONONE	Result: Irritating Species: Rabbit

**Serious eye damage/eye irritation** Causes serious eye irritation.

**Irritation Corrosion - Eye**

BENZYL SALICYLATE	Draize Result: Irritating Species: Rabbit
ETHANOL	OECD 405 Result: Irritating Species: Rabbit
LINALOOL	OECD 405 Result: Irritating Species: Rabbit
D-LIMONENE	OECD 405 Result: Not Irritating Species: Rabbit
ALPHA-ISOMETHYL IONONE	Result: Irritating Species: Rabbit
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES	Result: Not Irritating

**Respiratory sensitization** Due to partial or complete lack of data the classification is not possible.

**Skin sensitization** May cause an allergic skin reaction.

**Sensitization**

ALPHA-ISOMETHYL IONONE Result: Sensitizing

**Skin sensitization**

ETHANOL	OECD 406 Result: Not Sensitizing Species: Guinea pig
BENZYL SALICYLATE	OECD 429 Result: Sensitizing Species: Mouse
LINALOOL	OECD 429 Result: Sensitizing Species: Mouse
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES	OECD 429 Result: Sensitizing Species: Mouse
D-LIMONENE	OECD 429, EC3: 22% Result: Sensitizing Species: Mouse
ALPHA-ISOMETHYL IONONE	Result: Sensitizing

**Germ cell mutagenicity** Due to partial or complete lack of data the classification is not possible.

**Mutagenicity**

ALPHA-ISOMETHYL IONONE	Result: In vitro and in vivo tests did not show mutagenic effects.
BENZYL SALICYLATE	Result: In vitro and in vivo tests did not show mutagenic effects.
D-LIMONENE	Result: In vitro and in vivo tests did not show mutagenic effects.
ETHANOL	Result: In vitro and in vivo tests did not show mutagenic effects.
LINALOOL	Result: In vitro and in vivo tests did not show mutagenic effects.
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES	Result: In vitro and in vivo tests did not show mutagenic effects.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans. Due to partial or complete lack of data the classification is not possible.



**Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)**

Not listed.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

D-LIMONENE (CAS 5989-27-5) 3 Not classifiable as to carcinogenicity to humans.

**Reproductive toxicity** Due to partial or complete lack of data the classification is not possible.

**Developmental effects**

ETHANOL > 20000 ppm OECD 414, No effects on development  
Result: NOAEL  
Species: Rat

ALPHA-ISOMETHYL IONONE 30 mg/kg bw/d, No effects on fertility  
Result: NOAEL  
Species: Rat

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES 480 mg/kg bw/d OECD 414, No effects on development  
Result: NOAEL  
Species: Rat

D-LIMONENE 591 mg/kg bw/d  
Result: NOAEL  
Species: Rat

**Reproductivity**

ETHANOL 20700 mg/kg bw/d OECD 416, No effects on fertility  
Result: NOAEL  
Species: Rat

ALPHA-ISOMETHYL IONONE 30 mg/kg bw/d  
Result: NOAEL  
Species: Rat

LINALOOL 365 mg/kg bw/d OECD 421, No effects on fertility  
Result: NOAEL  
Species: Rat

**Specific target organ toxicity - single exposure** Due to partial or complete lack of data the classification is not possible.

**Specific target organ toxicity - repeated exposure** Due to partial or complete lack of data the classification is not possible.

LINALOOL 117 mg/kg bw/d OECD 407, Oral  
Result: NOAEL  
Species: Rat  
Test Duration: 28 d

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES 150 mg/kg bw/d OECD 407, Oral  
Result: NOAEL  
Species: Rat  
Test Duration: 28 d

D-LIMONENE 1650 mg/kg bw/d OECD 407  
Result: NOAEL  
Species: Rat  
Test Duration: 16 d

ETHANOL 1730 mg/kg bw/d OECD 408, Oral  
Result: NOAEL  
Species: Rat

LINALOOL 250 mg/kg bw/d OECD 411, Dermal  
Result: NOAEL  
Species: Rat  
Test Duration: 90 d

ALPHA-ISOMETHYL IONONE 3,55 mg/kg bw/d  
Result: NOAEL  
Species: Rat

**Aspiration hazard** Due to partial or complete lack of data the classification is not possible.

**Mixture versus substance information** No information available.

**Other information** May cause allergic respiratory and skin reactions. The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

**SECTION 12: Ecological information**

**12.1. Toxicity** Harmful to aquatic life with long lasting effects. Based on available data, the classification criteria are not met for hazardous to the aquatic environment, acute hazard.

Components	Species		Test Results
<b>ALPHA-ISOMETHYL IONONE (CAS 127-51-5)</b>			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	EC50	Desmodesmus subspicatus	> 100 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	3,1 mg/l, 48 h OECD 202
Fish	LC50	Oncorhynchus mykiss	10,9 mg/l, 96 h OECD 203
<b>BENZYL SALICYLATE (CAS 118-58-1)</b>			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	1,29 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	1,16 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	1,03 mg/l, 96 h EU C.1
<b>D-LIMONENE (CAS 5989-27-5)</b>			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	0,25 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0,421 mg/l, 48 h OECD 202
Fish	LC50	Pimephales promelas	0,702 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	3,94 mg/l, 3 h OECD 209
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0,08 mg/l, 21 d OECD 211
Fish	NOEC	Pimephales promelas	0,37 mg/l, 8 d OECD 212
<b>ETHANOL (CAS 64-17-5)</b>			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	22200 mg/l, 96 h
Crustacea	EC50	Ceriodaphnia dubia	5012 mg/l, 48 h
Fish	LC50	Pimephales promelas	15300 mg/l, 96 h
Other	IC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	9,6 mg/l, 9 d
Fish	NOEC	Danio rerio	250 mg/l, 120 h OECD 212
<b>LINALOOL (CAS 78-70-6)</b>			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	EC50	Green algae (Scenedesmus acutus)	88,3 mg/l, 96 h
Crustacea	EC50	Daphnia magna	59 mg/l, 48 h
Fish	LC50	Oncorhynchus mykiss	27,8 mg/l, 96 h
Other	EC50	Activated sludge of a predominantly domestic sewage	> 100 mg/l, 3 h
<b>TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES</b>			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	EC50	Desmodesmus subspicatus	> 2,6 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	1,38 mg/l, 48 h OECD 202
Fish	LC50	Lepomis macrochirus	1,3 mg/l, 96 h OECD 203
Other	NOEC	Activated sludge of a predominantly domestic sewage	> 100 mg/l, 42 h OECD 301 F
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0,448 mg/l, 21 d OECD 211
Fish	NOEC	Danio rerio	0,3 mg/l, 30 d OECD 210

## 12.2. Persistence and degradability

### Biodegradability

#### Percent degradation (Aerobic biodegradation)

ALPHA-ISOMETHYL IONONE	63,4 % EU C,4.C Result: Inherently biodegradable Test Duration: 28 d
BENZYL SALICYLATE	93 % OECD 301 F Result: Readily Biodegradable Test Duration: 28 d
ETHANOL	84 % Result: Readily Biodegradable Test Duration: 20 d
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES	0 % OECD 301 C Result: Not Readily Biodegradable

#### Percent degradation (Aerobic biodegradation-soil)

LINALOOL	64,2 % OECD 301D Result: Readily Biodegradable
----------	---------------------------------------------------

## 12.3. Bioaccumulative potential

### Partition coefficient

#### n-octanol/water (log Kow)

ALPHA-ISOMETHYL IONONE	4,288 OECD 117
BENZYL SALICYLATE	4 OECD 117
D-LIMONENE	4,28 OECD 117
ETHANOL	-0,31
LINALOOL	2,97
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES	5,65 OECD 117

### Bioconcentration factor (BCF)

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES	603 OECD 305
-----------------------------------------	--------------

**12.4. Mobility in soil** No data available.

**12.5. Results of PBT and vPvB assessment** Not a PBT or vPvB substance or mixture.

**12.6. Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

**12.7. Additional information** The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Residual waste</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>EU waste code</b>	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Disposal methods/information</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Special precautions</b>	Dispose in accordance with all applicable regulations.

## SECTION 14: Transport information

### ADR

#### FINISHED GOODS

<b>14.1. UN number</b>	UN1266
<b>14.2. UN proper shipping name</b>	PERFUMERY PRODUCTS, Limited Quantity
<b>14.3. Transport hazard class(es)</b>	
<b>Class</b>	3
<b>Label(s)</b>	Limited Quantity
<b>Hazard No. (ADR)</b>	33
<b>Tunnel restriction code</b>	D/E
<b>14.4. Packing group</b>	II

14.5. Environmental hazards No

14.6. Special precautions for user Not available.

LTD QTY Net Inner Capacity 5.0 L

#### BULK

14.1. UN number UN1266

14.2. UN proper shipping name PERFUMERY PRODUCTS

14.3. Transport hazard class(es)

Class 3

Label(s) 3

Hazard No. (ADR) 33

Tunnel restriction code D/E

14.4. Packing group II

14.5. Environmental hazards No.

14.6. Special precautions for user Not available.

#### IATA

##### FINISHED GOODS

14.1. UN number ID8000

14.2. UN proper shipping name CONSUMER COMMODITY

14.3. Transport hazard class(es)

Class 9

14.4. Packing group Not applicable.

14.5. Environmental hazards No.

ERG Code 9L

14.6. Special precautions for user Not available.

Other information

Passenger and cargo aircraft Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

#### BULK

14.1. UN number UN1266

14.2. UN proper shipping name PERFUMERY PRODUCTS

14.3. Transport hazard class(es)

Class 3

14.4. Packing group II

14.5. Environmental hazards No.

ERG Code 3L

14.6. Special precautions for user Not available.

Other information

Passenger and cargo aircraft Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

#### IMDG

##### FINISHED GOODS

14.1. UN number UN1266

14.2. UN proper shipping name PERFUMERY PRODUCTS, Limited Quantity

14.3. Transport hazard class(es)

Class 3

Label(s) Limited Quantity

14.4. Packing group II

14.5. Environmental hazards

Marine pollutant No.

EmS F-E, S-D  
14.6. Special precautions for user Not available.

LTD QTY Net Inner Capacity 5.0 L

#### BULK

14.1. UN number UN1266  
14.2. UN proper shipping name PERFUMERY PRODUCTS

14.3. Transport hazard class(es)

Class 3

14.4. Packing group II

14.5. Environmental hazards

Marine pollutant No.

EmS F-E, S-D

14.6. Special precautions for user Not available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not established.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended  
Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended  
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended  
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended  
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended  
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended  
Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended  
Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA  
Not listed.

#### Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended  
Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended  
Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended  
Not listed.

#### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

D-LIMONENE (CAS 5989-27-5)

ETHANOL (CAS 64-17-5)

#### Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

#### National regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

## SECTION 16: Other information

<b>List of abbreviations</b>	Not available.
<b>References</b>	Not available.
<b>Information on evaluation method leading to the classification of mixture</b>	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
<b>Full text of any H-statements not written out in full under Sections 2 to 15</b>	H225 Highly flammable liquid and vapor. H226 Flammable liquid and vapor. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.
<b>Revision information</b>	None.
<b>Training information</b>	Follow training instructions when handling this material.
<b>Disclaimer</b>	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.