Product Name: Individual Lash Water Glue black_MJ-IWBS Revision date : April 29, 2024

SECTION 1. Indentification

- 1.1. Product Identifiei Individual Lash Water Glue black_MJ-IWBS
- 1.2. Recommended use of the chemical: Lash Adhesive (For external and intented use only)
- 1.3. Details of the supplier of the safety data sheet

Kiss Products, Inc. 25 Harbor Park Dr.
Port Washington, NY 11050 USA
TEL: 516-625-9779
FAX: 516-621-9778

SECTION 2. Hazards Identification

- 2.1. The hazard classification of the chemical: N.A.
- 2.2. Signal word. : N.A.
- 2.3. Hazard statement(s).: N.A.
- 2.4. Pictograms : N.A.
 2.5. Precautionary statement (s). : N.A.
- 2.6. Description of any hazards not otherwise classified.
 a) prevention: N.A.
 b) Storage: N.A.
 c) Disposal: N.A.
- 2.7. For a mixture that contains an ingredient(s) with unknown toxicity, a statement describing how much (percentage) of the mixture consists of ingredient(s) with unknown acute toxicity. Please note that this is a total percentage of the mixture and not tied to the individual ingredient(s). : None known

Section 3: Composition/Information on Ingredients

No	INGREDIENTS (INCI Name)	CAS No.	PURPOSE OF USE	%	SOURCE
1	Acrylates/Ethylhexyl Acrylate Copolymer	•	Film Formers	> 45.000	ICID
2	Aqua	7732-18-5	solvent	> 25.000	ICID
3	Acrylates Copolymer	25035-69-2	film former	< 10.000	ICID
4	Polyurethane-11	68258-82-2	Film Formers	< 10.000	ICID
5	PPG-2 Methyl Ether	13429-07-7	Solvents	< 5.000	ICID
6	Carbon Black (D&C Black No.2)	1333-86-4	colorant	< 1.000	ICID
7	Alcohol	64-17-5	solvent	< 1.000	ICID
8	HYDROXYPROPYL METHYLCELLULOSE STEAROXY ETHER	141615-27-2	Viscosity enhancer	< 0.500	ICID
9	Pentylene Glycol	5343-92-0	Skin-Conditioning	< 0.500	ICID
10	Phenoxyethanol	122-99-6	preservative	< 0.500	ICID
11	Laureth-21	9002-92-0	surfactants	< 0.300	ICID
12	Sodium Dehydroacetate	4418-26-2	preservative	< 0.300	ICID
13	PEG-40 Hydrogenated Castor Oil	61788-85-0	surfactants	< 0.300	ICID
14	Cereus Grandiflorus (Cactus) Extract	8007-78-1	Skin-Conditioning	< 0.100	ICID
15	Hamamelis Virginiana (Witch Hazel) Extract	84696-19-5	Skin-Conditioning	< 0.100	ICID
16	Isopropyl Alcohol	67-63-0	solvent	< 0.100	ICID
17	Butylene Glycol	107-88-0	Solvent	< 0.100	ICID
18	1,2-Hexanediol	6920-22-5	solvent	< 0.100	ICID
19	Avena Sativa(Oat) Meal Extract	-	Skin-Conditioning	< 0.100	ICID
			TOTAL	100.0000	

SECTION 4. First-Aid Measures

4.1. Necessary first-aid instructions by relevant routes of exposure

In case of skin contact: Wash with plenty of water and soap.
In case of eyes contact: Rinse immediately with plenty of water and seek medical advice.

- In case of Ingestion: Do not under any circumstances induce vomiting.

 OBTAIN A MEDICAL EXAMINATION IMMEDIATELY

 4.2. Description of the most important symptoms or effects, and any symptoms that are acute or delayed: None

 4.3. Recommendations for immediate medical care and special treatment needed, when necessary: None

Product Name: Individual Lash Water Glue black_MJ-IWBS Revision date : April 29, 2024

SECTION 5. Fire-Fighting Measures

- 5.1. Recommendations of suitable extinguishing equipment, and information about extinguishing equipment that is not appropriate for a particular situation
 - a) Suitable extinguishing media : Water, Carbon dioxide (CO2).
- b) Extinguishing media which must not be used for safety reasons: None in particular.

 5.2. Advice on specific hazards that develop from the chemical during the fire, such as any hazardous combustion products created when the chemical burns :
 - a) Do not inhale explosion and combustion gases.

 - b) Burning produces heavy smoke.
 c) This material will not burn until the water has evaporated.

 - d) Residue can burn. Upon burning, the dry product generates dense black smoke.
 e) When heated (decomposition) or in case of fire may liberate carbon oxides, gases and vapors which are dangerous to health.
- 5.3. Recommendations on special protective equipment or precautions for firefighters.
 - a) Use suitable breathing apparatus .
 - b) Collect contaminated fire extinguishing water separately. This must not be discharged into drains. c) Move undamaged containers from immediate hazard area if it can be done safely

SECTION 6. Accidental Release Measures

- 6.1. personal precaution and protective equipment to prevent the contamination of skin, eyes, and clothing.
- : Wear personal protection equipment.
 6.2. Emergency procedures, including instructions for evacuations, consulting experts when needed, and appropriate protective clothing. : Remove persons to safety for large spills.
 6.3. Methods and materials used for containment and cleanup procedures
- - : Wash with plenty of water

SECTION 7. Handling and Storage

- 7.1. Safe handling: Avoid contact with skin and eyes, inhalation of vapours and mists.
- Advice on general occupational hygiene: Do not eat or drink while working.
 7.2. Storage conditions: Do not freeze. If frozen, it hardens and the product loses its performance.
 - Avoid exposure to low temperature(below +5 $^{\circ}\mathrm{C})$ during storage, transport and distribution. Store at room temperature. The best temperature condition for the product is 15–25 $^{\circ}\mathrm{C}$.

 - Keep away from food, drink and feed.

 Material may develop bacteria odor on long term storage.
 - Incompatible materials: None in particular.
 - Instructions as regards storage premises: Adequately ventilated premises.
 - Flash point: : > 93℃

SECTION 8. Exposure Controls / Personal Protection

- 8.1. OSHA Permissible Exposure Limits (PELs), American Conference of Governmental Industrial Hygienists (ACGIH)
 Threshold Limit Values (TLVs), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet
- 8.2. Appropriate engineering controls: N.A.
- 8.3. Recommendations for personal protective measures to prevent illness or injury from exposure to chemicals, such as personal protective equipment (PPE):
 - a) Protection for eye: Not needed for normal use. Anyway, operate according good working practices. b) Protection for skin: No special precaution must be adopted for normal use.

 - c) Protection for hands: Not needed for normal use.
 d) Respiratory protection: Not needed for normal use.

 - e) Thermal Hazards : None f) Environmental exposure controls :

 - g) The emissions from ventilation or work process equipment should be checked to ensure compliance with the directives of the binding legislation on environmental protection. In some cases, to reduce emissions, might be needed maintenance or technical plant modifications
- 8.4. Any special requirements for PPE, protective clothing or respirators :
 - a) Thermal Hazards: None
 - b) Environmental exposure controls
 - c) The emissions from ventilation or work process equipment should be checked to ensure compliance with the directives of the binding legislation on environmental protection. In some cases, to reduce emissions, might be needed maintenance or technical plant modifications.

SECTION 9. Physical and Chemical Properties

- 9.1. Information on basic physical and chemical properties
 - ▶ Appearance and color : Blacke liquid
 - ▶ Odor : Characteristic
 - ▶ Odor threshold : No data available
 - ▶ pH: 7.00 ~ 8.50
 - ► Melting point : > 0°C (frost) water
 - ▶ Initial boiling point and boiling range : 100 $\,^{\circ}\!\!$ C (KS M 1071-2 : 2007)
 - ► Flash point : > 93 °C
 - ▶ Evaporation rate : No data available
 - ▶ Flammability (solid, gas) : No data available
 - ▶ Upper/lower flammability or explosive limits : No data available
 - Vapor pressure : No data available
 - ► Vapor density : No data available
 - ► Relative density : 1.000 ± 0.1
 - ▶ Solubility(ies) : Completely miscible in water
 - ▶ Partition coefficient : n-octanol/water : No data available
 - ▶ Auto-ignition temperature : No data available
 - ▶ Decomposition temperature : No data available
 - Viscosity: 25,000 ~ 45,000 cps (24.5±1 ℃, 64spindle, 12RPM) (will be finally confirmed after 14 week stability test)

Product Name: Individual Lash Water Glue black_MJ-IWBS Revision date : April 29, 2024

SECTION 10. Stability and Reactivity

- 10.1. Reactivity: Stable under normal conditions
- 10.2. Chemical stability : Stable under normal conditions
- 10.3. Other
 - a) Possibility of hazardous reactions: None known.
 - b) Conditions to avoid: Stable under normal conditions.
 - Incompatible materials: None in particular. Hazardous decomposition products
 - d) When heated (decomposition) or in case of fire may liberate carbon oxides, gases and vapors which are dangerous to health

SECTION 11. Toxicological Information

- 11.1. Of the delayed, immediate, or chronic effects from short- and long-term exposure: N.A.
- 11.2. The numerical measures of toxicity the estimated amount [of a substance] expected to kill 50% of test animals in a single dose: N.A.
- 11.3. Description of the symptoms
 - considered as N.A.:
 - a) acute toxicity
 - b) skin corrosion/irritation
 - c) serious eye damage/irritation
 - d) respiratory or skin sensitisation
 - e) germ cell mutagenicity

 - f) carcinogenicity g) reproductive toxicity
 - h) STOT-single exposure
 - i) STOT-repeated exposure
 - i) aspiration hazard.
- 11.4. Indication of whether the chemical is listed in the National Toxicology Program (NTP)

 a) Toxicological information of the mixture: N.A.

 - b) Toxicological information of the main substances found in the mixture : N.A.

 If not differently specified, the information required in Regulation 453/2010/EC listed below must be

SECTION 12. Ecological information

- Toxicity : N.A.
- Adopt good working practices, so that the product is not released into the environment.

 Whether there is a potential for the chemical to persist and degrade in the environment either through biodegradation or other processes, such as oxidation or hydrolysis: None known.

Biodegradability: This property is specific for substance and can not be indicated for mixtures.

Biodegradability: Latex. BOD 20 for experimental latexes is below the detection limits of the strument.

Biodegradability: Non-rapidly degradable – Test: N.A. – Duration: N.A. - %: N.A. – Notes:: N.A. • Data from toxicity tests performed on aquatic and/or terrestrial organisms:

This product has no significant ecological problem for water / soil. Ecotox : low toxicity to fish LC50> 100mg / I, 96h. – Test : N.A. – Duration : N.A. - % : N.A. – Notes :: N.A.

Results of tests of bioaccumulation potential, making reference to the octanol-water partition coefficient (Kow) and the bioconcentration factor (BCF)

Bioaccumulation: Latex dispersions: No bioconcentration of the polymeric component is expected because of its high molecular weight. Latex dispersions will color water a milky white.

- Test: N.A. - Duration: N.A. - Notes:: N.A.

The potential for a substance to move from the soil to the groundwater.

Mobility in soil : Mobile – Test : N.A. – Duration : N.A. – Notes :: N.A. • Other adverse effects : None

Results of PRT and vPvR assessment

vPvB Substances : None - PBT Substances : None

SECTION 13. Disposal Consideration

- 13.1. Description of appropriate disposal containers to use: N.D.
- 13.2. Recommendations of appropriate disposal methods to employ a) Retain contaminated washing water and dispose it
 - b) Do not allow to enter into soil/subsoil
 - c) Do not allow to enter into surface water or drains
- 13.3. Description of the physical and chemical properties that may affect disposal activities
- : Suitable material for taking up: absorbing material, organic, sand 13.4. Any special precautions for landfills or incineration activities
- - In case of gas/vapors escape or of entry into waterways, soil or drains, inform the responsible authorities
- * See also section 8.

SECTION 14. Transport information

- 14.1. UN number: Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name: N.A.
- 14.3. Transport hazard class(es): N.A.
- 14.4 Packing group number, if applicable, based on the degree of hazard : N.A.
- 14.5. Environmental hazards(IMDG Code): N.A.
 14.6 Guidance on transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: N.A.
- 14.7. Any special precautions which an employee should be aware of or needs to comply with, in connection with transport or conveyance either within or outside their premises: N.A.

Product Name: Individual Lash Water Glue black_MJ-IWBS Revision date: April 29, 2024

SECTION 15. REGULATORY INFORMATION

```
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
        WGK - Water hazard classes (Germany), classification in according to the VwVwS
        WGK 1 - Low hazard to waters
       Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
       Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
       Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830
       Regulation (EU) 2015/830
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
       Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
       Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
       Regulation (EU) n. 2017/776 (ATP 10 CLP)
Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC)
       1907/2006 (REACH) and subsequent modifications: Restrictions related to the product:No restriction.
       Restrictions related to the substances contained:No restriction.

Where applicable, refer to the following regulatory provisions:Directive 2012/18/EU (Seveso III)
       Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):
             Seveso III category according to Annex 1, part 1
             None
       *OSHA, 29 CFR 1910.1200
15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.
```

SECTION 16. OTHER INFORMATION

Revision Date : April 29, 2024

The information contained herein is based upon data and information available to us, and reflects our best professional judgment, but is offered without guarantee or warranty. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use.

End of Safety Data Sheet