Printing date 22.11.2021

Revision: 08.02.2017

1 Identification of the substance/mixture and of the company/undertaking · Product identifier • Trade name: Wellaflex Flexible Extra Strong Hold Mousse · Article number: 97049512, 315000012167 · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Cosmetic product • Details of the supplier of the safety data sheet · Manufacturer/Supplier: Wella International Operations Switzerland Sàrl, Chemin Louis-Hubert 1-3, 1213 Petit-Lancy, Switzerland WELLA UK LTD 7t St. George's House 5 St. Wimbledon, London, SW19 4DR United Kingdom · Further information obtainable from: Wella SDS Info Team **Emergency telephone number:** CHEMTREC Emergency number: +1-703-527-3887 CHEMTREC US/NA Emergency number(toll free): 800-424-9300 CHEMTREC: +44 20 3807 3798 2 Hazards identification Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 flame Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. · Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS02 · Signal word Danger · Hazard statements H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P210 P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P273 Avoid release to the environment. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. (Contd. on page 2) GB

Printing date 22.11.2021

Revision: 08.02.2017

(Contd. of page 1)

Trade name: Wellaflex Flexible Extra Strong Hold Mousse

• Other hazards

· Results of PBT and vPvB assessment

• *PBT:* Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:		
CAS: 74-98-6	propane	>2.5-≤10%	
EINECS: 200-827-9	🚸 Flam. Gas 1A, H220; Press. Gas (Comp.), H280		
CAS: 106-97-8	butane, pure	≤2.5%	
EINECS: 203-448-7	🚸 Flam. Gas 1A, H220; Press. Gas (Comp.), H280		
CAS: 95144-24-4	1H-imidazolium, 1-ethenyl-3-methyl-, chloride, polymer with 1-ethenyl-2-	≥0.25-<2.5%	
	pyrrolidinone		
	🕸 Aquatic Acute 1, H400; Aquatic Chronic 1, H410		
CAS: 112-02-7	cetrimonium chloride	≥0.025-<0.25%	
EINECS: 203-928-6	 Acute Tox. 3, H311; Skin Corr. 1A, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302 		
• Additional information: For the wording of the listed hazard phrases refer to section 16.			

4 First aid measures

• Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

• Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

· Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture No further relevant information available.

• Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*

(Contd. on page 3)

GB

Printing date 22.11.2021

Revision: 08.02.2017

Trade name: Wellaflex Flexible Extra Strong Hold Mousse

	(Contd. of page 2)
Environmental precautions:	
Do not allow product to reach sewage system or any water course.	
Inform respective authorities in case of seepage into water course or sewage system.	
Do not allow to enter sewers/ surface or ground water.	
Methods and material for containment and cleaning up:	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: Do not spray onto a naked flame or any incandescent material. Keep ignition sources away - Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles:* Observe official regulations on storing packagings with pressurised containers.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class: 2 B
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

Ingredients with limit values that require monitoring at the workplace:

106-97-8 butane, pure

WEL Short-term value: 1810 mg/m³, 750 ppm

Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

• *Additional information: The lists valid during the making were used as basis.*

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

Printing date 22.11.2021

Revision: 08.02.2017

(Contd. of page 3)

Trade name: Wellaflex Flexible Extra Strong Hold Mousse

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eve protection: Not required.

Information on basic physical and chem	nical properties	
General Information		
Appearance: Form:	Aerosol	
Form. Colour:	Whitish	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	: Not applicable, as aerosol.	
Flash point:	Not applicable, as aerosol.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	2.6 %	
Water:	89.3 %	
VOC (EC)	6.48 %	

Printing date 22.11.2021

Revision: 08.02.2017

(Contd. of page 4)

Trade name: Wellaflex Flexible Extra Strong Hold Mousse

Solids content:

0.0 %

• Other information

No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

106-97-8 butane, pure

Inhalative LC50/4 h mg/l (rat)

112-02-7 cetrimonium chloride

Oral LD50 450 mg/kg (rat) (bw (OECD 401))

Dermal LD50 528 mg/kg (rabbit) (bw (OECD 402))

· Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Ecotoxical effects:
- Remark: Harmful to fish

(Contd. on page 6)

GB -

Printing date 22.11.2021

Revision: 08.02.2017

Trade name: Wellaflex Flexible Extra Strong Hold Mousse

(Contd. of page 5)

- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

UN-Number		
ADR/RID/ADN, IMDG, IATA	UN1950	
UN proper shipping name		
ADR/RID/ADN	1950 AEROSOLS	
IMDG	AEROSOLS	
IATA	AEROSOLS, flammable	
Transport hazard class(es)		
ADR/RID/ADN		
Class	2 5F Gases.	
Label	2.1	
IMDG, IATA		
Class	2.1 Gases.	
Label	2.1	
Packing group		
ADR/RID/ADN, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Warning: Gases.	

Printing date 22.11.2021

Revision: 08.02.2017

Trade name: Wellaflex Flexible Extra Strong Hold Mousse

	(Contd. of page
Hazard identification number (Kemler code):	-
EMS Number:	F- D , S - U
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1 litre
	Category A. For AEROSOLS with a capacity above 1 litre
	Category B. For WASTE AEROSOLS: Category C, Clear of
	living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre:
	Segregation as for class 9. Stow "separated from" class
	except for division 1.4. For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2.
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
Transfer I. H. S. S. A. S. M. C.M.	
Transport in bulk according to Annex II of Ma and the IBC Code	<i>rpoi</i> Not applicable.
	Νοι αρριτασιε.
Transport/Additional information:	
ADR/RID/ADN	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas. H280 Contains gas under pressure; may explode if heated. H302 Harmful if swallowed. H311 Toxic in contact with skin.

(Contd. on page 8)

GB

Printing date 22.11.2021

Revision: 08.02.2017

Trade name:	Wellaflex	Flexible	Extra Strong	Hold	Mousse
-------------	-----------	----------	--------------	------	--------

(Contd. of pa	ige 7)
H314 Causes severe skin burns and eye damage.	
H318 Causes serious eye damage.	
H400 Very toxic to aquatic life.	
H410 Very toxic to aquatic life with long lasting effects.	
11410 Very loxic to aquatic tife with long lasting effects.	
• Department issuing SDS: Abteilung Umweltschutz	
• Contact: Hr. Dr. Speckbacher	
· Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the Internat	tional
Carriage of Dangerous Goods by Road)	1011011
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Gas 1A: Flammable gases – Category 1A	
Aerosol 1: Aerosols – Category 1	
Press. Gas (Comp.): Gases under pressure – Compressed gas	
Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 3: Acute toxicity – Category 3 Shin Community – Category 1	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Acute 1. Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
rignane Chrome 5. riazaraous to the aquane environment - tong-term aquane nazara – Category 5	GB —
	00